

WinCC_OA(1): AES Table configuration (System1 - Moa; #1)

General alertrow settings Alertrow

AES configurations

Top table : ☒ active Type : Alerts 50 Properties : aes_propAlertRowCustom1 Alertrowconfig: aes_alertRowCustom1

Bottom table : ☐ active Type : Proportion 50 Properties : aes_propAlertRow

Global settings

Sliders : ☒ display slider(buttons) Hide empty rows : ☐ Top table ☐ Bottom table

Menu : ☒ deny "all visible alert" acknowl. Print : ☐ display print dialog

Type of filter

☐ None
☒ Global
☐ Group
☐ User

I made two Alertrowconfiguration
aes_alertRowCustom1
aes_alertRowCustom2

and two Properties
aes_propAlertRowCustom1
aes_propAlertRowCustom2

Properties of alert panel (System1 - Moa; #1)

Timerange Filter Filter types Filter state Filter system/Add. values ▶

Filter

Short sign: Logical combination: ☒ AND ☐ OR

Priority:

Alert text:

Description:

☒ DPE filter
☐ Group filter Using wildcards: DP search

Datapoints / Wildcards

f2.response.malfunction.motor_temp

Properties

aes_propAlertRowCustom1

OK Cancel

Properties of alert panel (System1 - Moa; #1)

Timerange Filter Filter types Filter state Filter system/Add. values ▶

Filter

Short sign: Logical combination: ☒ AND ☐ OR

Priority:

Alert text:

Description:

☒ DPE filter
☐ Group filter Using wildcards: DP search

Datapoints / Wildcards

f1.response.malfunction.motor_temp

Properties

aes_propAlertRowCustom2

OK Cancel



